

# Getting Started


with **MotionBuilder**

CLICK ON ONE OF THESE TILES TO VIEW THE COMIC STRIP!

- 1** INSTALL CURRENT FBX® PLUG-INS AND CHECK SYSTEM REQUIREMENTS.



- 2** EXPORT A SCENE FROM 3DS MAX® OR MAYA®.



- 3** LOAD A SCENE IN MOTIONBUILDER®.




- 4** SET UP A CHARACTER.



- 5** ANIMATE THE CHARACTER BY LOADING ANIMATION OR BY KEYFRAMING THE CONTROL RIG.




- 6** EDIT THE CHARACTER ANIMATION.



- 7** PREPARE FOR EXPORT.



- 8** IMPORT A MOTIONBUILDER SCENE IN 3DS MAX OR MAYA.




**THE END**

# Installing the FBX Plug-ins

BEFORE YOU CAN GET YOUR WORK MOVING BETWEEN 3ds MAX / MAYA AND MOTIONBUILDER, MAKE SURE YOU HAVE THE MOST RECENT FBX PLUG-IN INSTALLED ON YOUR SYSTEM.

- 1 GO TO [HTTP://WWW.AUTODESK.COM/FBX](http://www.autodesk.com/FBX) TO DOWNLOAD THE LATEST FBX PLUG-INS. CLICK **DOWNLOAD FBX PLUG-INS**.



Visit the Community

Download the FBX SDK

Download FBX Plug-ins

- 2 ON THE NEXT PAGE, CLICK **FBX PLUG-INS, CONVERTER, AND QUICKTIME VIEWER DOWNLOADS**.

## Downloads

### FBX Plug-ins, Converter, and QuickTime Viewer Downloads

- **FBX Plug-Ins**—Package many types of data into one file format that is available for Autodesk® 3ds Max® software on Microsoft® Windows, Mac OS® X, and Linux® operating systems.
- **FBX QuickTime Viewer**—A component plug-in that enables play applications.
- **FBX Converter**—Enables conversion of OBJ, DXF™ files, and 3D and easily transfer project data between applications. Available for

### FBX Software Developer Kit

The FBX Software Developer Kit is a free\*, easy-to-use, C++ software that manipulates information stored within FBX with minimal effort. Particularly useful for development teams. Available for Windows, Mac OS X, and Linux operating systems.

- 3 ON THE FBX PLUG-INS DOWNLOAD PAGE, CHOOSE THE APPROPRIATE FBX PLUG-IN FOR YOUR OPERATING SYSTEM AND FOR YOUR PRODUCT, INCLUDING PRODUCT VERSION.

## FBX Plug-ins, Converter, and QuickTime Viewer Downloads

### FBX Plug-ins


The Autodesk® FBX® plug-in allows all types of data to be packed into a single file format for use in 3D authoring software.

### Windows

- ☐ **FBX 2010.2.1 Plug-in for 3ds Max 2010** (exe - 18667Kb) (Updated December 1st, 2009)
- ☐ **FBX 2010.2.1 Plug-in for 3ds Max 2010 64-bit** (exe - 1975Kb) (Updated December 1st, 2009)
- ☐ **FBX 2010.2.1 Plug-in for 3ds Max 2009** (exe - 18663Kb) (Updated December 1st, 2009)

Make sure Maya and 3ds Max are not running when you install the FBX Plug-ins.

- 4 DOWNLOAD THE PLUG-IN.



## System Requirements

TO SUCCESSFULLY COMPLETE THIS TUTORIAL, YOU NEED THE CURRENT VERSION OF THE AUTODESK PRODUCTS, YOU NEED TO MAKE SURE YOUR COMPUTER MEETS THE MINIMUM SYSTEM REQUIREMENTS AND YOUR HARDWARE IS CERTIFIED BY AUTODESK. SEE:


### SYSTEM REQUIREMENTS:

[HTTP://WWW.AUTODESK.COM/MOTIONBUILDER-SYSTEMREQUIRMENTS](http://www.autodesk.com/motionbuilder-systemrequirements)

### CERTIFIED HARDWARE:

[HTTP://WWW.AUTODESK.COM/MOTIONBUILDER-HARDWARE](http://www.autodesk.com/motionbuilder-hardware)

- 5 IF YOU DOWNLOADED THE FBX PLUG-IN FOR **MAYA** FOR THE FIRST TIME, IN **MAYA**, SELECT **WINDOW > SETTINGS/ PREFERENCES > PLUG-IN MANAGER** AND ACTIVATE THE OPTIONS FOR THE **FBXMAYA.MLL** FILTER.



NOW THAT YOU HAVE INSTALLED THE FBX PLUG-IN FOR 3ds MAX OR MAYA, YOU CAN LOAD A SCENE IN 3ds MAX OR MAYA, THEN EXPORT IT TO MOTIONBUILDER USING THE FBX FILE FORMAT.


**THE END**

# 3ds Max Preparing for export into MotionBuilder



AFTER YOU HAVE INSTALLED THE CURRENT FBX PLUG-IN FOR 3ds Max, YOU CAN LOAD A SAMPLE SCENE AND EXPORT IT TO MOTIONBUILDER.

NOTE: 3DS MAX VERSION 2011 AND MAYA VERSION 2011 WERE USED TO DO THIS TUTORIAL.

- 1** START 3DS MAX AND FROM THE APPLICATION MENU, CHOOSE **OPEN > OPEN**.




- 2** IN THE OPEN FILE DIALOG THAT APPEARS, GO TO THE MOTIONBUILDER 2011 HELP > GETTINGSTARTED DIRECTORY, SELECT THE EDWARD.MAX FILE AND CLICK **OPEN**.




THIS CHARACTER MODEL IS MADE UP OF AN OUTER SKIN THAT CREATES ITS APPEARANCE AND AN UNDERLYING RIGID SKELETON MADE UP OF ABOUT 75 BONE OBJECTS.

WHEN THIS MODEL IS IMPORTED INTO MOTIONBUILDER, THE BONE OBJECTS ARE USED TO DEFINE THE CHARACTER'S STRUCTURE.


- 4** FROM THE APPLICATION MENU, SELECT **EXPORT > EXPORT**.



- 5** NAME YOUR FILE "EDWARD\_FROM\_MAX", SELECT "FBX" AS THE FILE TYPE, SAVE YOUR FILE IN MOTIONBUILDER 2011 > HELP > GETTINGSTARTED DIRECTORY, AND CLICK **SAVE**.



- 6** IN THE FBX EXPORTER THAT APPEARS, CLICK **OK**.




NOW THAT YOU'VE EXPORTED A SCENE IN THE FBX FILE FORMAT, YOU CAN LOAD IT IN MOTIONBUILDER.

THE END


# Maya Preparing for export into MotionBuilder

AFTER YOU HAVE INSTALLED THE CURRENT FBX PLUG-IN FOR MAYA, YOU CAN LOAD A FILE IN MAYA AND EXPORT IT TO MOTIONBUILDER.


- 1 START MAYA AND SELECT **FILE > OPEN SCENE** FROM THE MENU BAR.



- 2 IN THE FILE OPEN DIALOG BOX, GO TO THE **MOTIONBUILDER HELP > GETTINGSTARTED** DIRECTORY, SELECT THE **EDWARD.MB** SAMPLE FILE, AND CLICK **OPEN**.




THE EDWARD CHARACTER LOADS IN MAYA.




THIS CHARACTER HAS AN OUTER SKIN THAT CREATES ITS APPEARANCE, AND AN UNDERLYING RIGID SKELETON MADE UP OF ABOUT 75 BONES.

THESE BONES ARE NECESSARY FOR THE CHARACTER SETUP PROCESS WHEN YOU BRING THE MODEL INTO MOTIONBUILDER.

- 3 SELECT **FILE > EXPORT ALL** FROM THE MENU BAR.



- 4 IN THE EXPORT DIALOG, SELECT "FBX EXPORT" IN THE FILE TYPE, ENTER "MAYA\_EDWARD", AND CLICK **EXPORT ALL**.



IF THE FBX WARNINGS & ERRORS DIALOG BOX APPEARS, READ ABOUT CHANGES THE EXPORT HAS MADE TO YOUR SCENE. CLICK CLOSE.

SEE THE BEST PRACTICES FOR A TIP ON SPEEDING UP THE FLOW OF DATA DURING EXPORT.


NOW THAT YOU HAVE EXPORTED THE EDWARD CHARACTER AS AN FBX FILE, YOU CAN LOAD IT IN MOTIONBUILDER.

THE END


# Loading a scene in MotionBuilder

AFTER YOU HAVE CREATED A SCENE IN MAYA OR 3DS MAX AND SAVED IT AS AN FBX FILE, YOU CAN LOAD THE SCENE IN MOTIONBUILDER. FIRST, CREATE A SHORTCUT TO THE SAMPLE FBX FILES YOU WILL BE USING WITH THIS GUIDE.



- 1 START MOTIONBUILDER AND SELECT **LAYOUT > EDITING** FROM THE MENU BAR.



- 2 RIGHT-CLICK IN THE ASSET BROWSER WINDOW AND SELECT **ADD FAVORITE PATH** FROM THE CONTEXTUAL MENU.




- 3 IN THE OPEN DIRECTORY DIALOG, BROWSE TO WHERE YOU INSTALLED MOTIONBUILDER, THEN SELECT THE **HELP\GETTINGSTARTED** FOLDER AND CLICK **OK**.




THE GETTINGSTARTED FOLDER IS ADDED AS A FAVORITE PATH IN THE ASSET BROWSER.


- 4 DRAG THE **EDWARD** FILE FROM THE GETTINGSTARTED FOLDER INTO THE VIEWER.



- 5 SELECT **FBX OPEN > NO ANIMATION** FROM THE CONTEXTUAL MENU.



THE EDWARD MODEL LOADS IN THE SCENE



TIP: CHECK OUT THE BEST PRACTICES TO RESIZE OBJECTS IMPORTED FROM MAYA

WHEN YOU FIRST LOAD A CHARACTER MODEL LIKE THIS, MOTIONBUILDER CAN'T RECOGNIZE THE STRUCTURE OF ITS SKELETON.

TO MAKE EDWARD A REAL CHARACTER, YOU NEED TO DESCRIBE HIS BODY STRUCTURE BY COMPLETING THE CHARACTER SET UP PROCESS SO THAT MOTIONBUILDER CAN TELL HIS ARMS FROM HIS LEGS, AND SO ON.

THE END

# Setting up your character in MotionBuilder


NOW THAT YOU HAVE LOADED A CHARACTER IN MOTIONBUILDER, YOU CAN SET IT UP FOR ANIMATION.

WHEN YOU FIRST LOAD A CHARACTER MODEL, MOTIONBUILDER HAS NO WAY OF RECOGNIZING ITS BODY STRUCTURE.




TO INTRODUCE A CHARACTER, YOU NEED TO COMPLETE THE CHARACTER MAPPING PROCESS.

CHARACTER MAPPING TELLS MOTIONBUILDER "HERE ARE THE CHARACTER'S LEGS, HERE ARE THE CHARACTER'S ARMS," AND SO ON.

- 1 FROM THE CHARACTER FOLDER IN THE ASSET BROWSER, DRAG A CHARACTER ASSET INTO THE SCENE.



- 2 IN THE SCENE BROWSER, RIGHT-CLICK AND RENAME THE CHARACTER ASSET AS "EDWARD".



- 3 IN THE CHARACTER SETTINGS, SWITCH TO THE CHARACTER DEFINITION TAB AND EXPAND THE BASE GROUP OF SLOTS IN THE MAPPING LIST.




THIS BASE GROUP OF 15 SLOTS LETS YOU MAP ALL THE REQUIRED BONES FROM YOUR CHARACTER'S SKELETON.

IF YOUR CHARACTER HAS MORE THAN THE 15 REQUIRED BONES, YOU CAN MAP THEM TO THE OTHER SLOTS IN THE MAPPING LIST.

FOR EXAMPLE, IF YOUR CHARACTER HAS A RIGHT SHOULDER BONE, YOU CAN MAP IT IN THE AUXILIARY GROUP OF SLOTS.

**4** CLICK IN THE VIEWER WINDOW AND PRESS **CTRL-W** TO SWITCH TO THE SCHEMATIC VIEW, THEN PRESS **A** TO FRAME ALL OF THE NODES.



TRY THESE KEYBOARD SHORTCUTS IN THE SCHEMATIC VIEW:

PRESS **F** TO FRAME SELECTED OBJECTS.


**CTRL-2** SPLITS THE VIEWER INTO 2 PANES SO YOU CAN SEE THE SCHEMATIC AND CAMERA VIEWS AT THE SAME TIME

**CTRL-W** SWITCHES BETWEEN THE SCHEMATIC VIEW AND THE CAMERA VIEW.


**5** **CTRL-D**RAG TO ZOOM IN THE SCHEMATIC VIEW, THEN SELECT THE **LEFTUPLEG** NODE.



**6** **ALT-D**RAG THE **LEFTUPLEG** NODE INTO THE **LEFTUPLEG** SLOT IN THE CHARACTER DEFINITION PANE.



**7** CONTINUE MAPPING EACH BONE REQUIRED IN THE APPROPRIATE BASE SLOTS.




ONCE YOU HAVE DRAGGED THE REQUIRED BONE INTO EACH BASE SLOT, THE CHARACTER MAPPING IS FINISHED.

LATER, IF YOU ARE MAPPING ONE OF YOUR CHARACTERS THAT HAS UNNAMED BONES, YOU CAN **ALT-D**RAG THEM DIRECTLY FROM THE VIEWER WINDOW INTO THESE SLOTS.

# 8 ACTIVATE THE CHARACTERIZE OPTION.




# 9 CLICK BIPED IN THE CHARACTER DIALOG THAT APPEARS, SINCE EDWARD IS A TWO-LEGGED CHARACTER.




THE CHARACTER IS NOW CHARACTERIZED. MOTIONBUILDER CREATES FLOOR CONTACT MARKERS FOR THE HANDS AND FEET, AND THE STRUCTURE OF THE MODEL IS LOCKED.

NOW, YOU WILL NEED A CONTROL RIG FOR THE CHARACTER THAT IS BASED ON THE STRUCTURE YOU HAVE JUST DEFINED. LATER, YOU WILL USE THE CONTROL RIG TO CREATE AND EDIT ANIMATION.

# 10 IN THE CHARACTER DEFINITION PANE, CLICK CREATE IN THE CONTROL RIG AREA.



# 11 SELECT FK/IK IN THE CREATE CONTROL RIG DIALOG BOX THAT APPEARS.




BASED ON THE SKELETAL STRUCTURE THAT YOU DEFINED, A CONTROL RIG WITH FK AND IK EFFECTORS IS CREATED FOR YOUR CHARACTER.


YOU CAN USE THE CONTROL RIG EFFECTORS TO EASILY CONTROL YOUR CHARACTER USING FULL BODY IK SOLVING.

NOTE: IF YOU CAN'T SEE THE RIG WHEN YOU SWITCH BACK TO THE REGULAR CAMERA VIEW, MAKE SURE THE IK AND FK OPTIONS ARE ACTIVATED IN THE CHARACTER CONTROLS SHOW MENU, THEN CLICK IN THE VIEWER AND PRESS **CTRL-A** UNTIL YOU SWITCH TO X-RAY DISPLAY MODE.

# 12 IN THE SCENE BROWSER, RIGHT-CLICK AND RENAME THE CONTROL RIG "EDWARD'S CONTROL RIG".




# 13 ACTIVATE THE CTRL RIG IN OPTION.



THIS MAKES THE CONTROL RIG THE ACTIVE MOTION SOURCE.

TO HIDE THE CHARACTER'S SKELETON IN THE VIEWER WINDOW, OPEN THE SHOW MENU IN THE CHARACTER CONTROLS AND DISABLE THE SKELETON OPTION.




NOW THAT YOU HAVE PROPERLY CHARACTERIZED YOUR CHARACTER, YOU CAN LOAD ANIMATION ONTO THE CHARACTER, OR USE THE CONTROL RIG TO CREATE YOUR KEYFRAME ANIMATION TO ANIMATE THE CHARACTER!

THE END


# Loading character animation

NOW THAT YOU HAVE SET UP A CHARACTER IN MOTIONBUILDER, YOU CAN LOAD ANIMATION TO MAKE THE CHARACTER MOVE.


- 1 FROM THE ASSET BROWSER GETTINGSTARTED FOLDER, DRAG THE ED\_CHARACTER FILE INTO THE SCENE AND SELECT **FBX OPEN** > **NO ANIMATION**.




- 2 SELECT **EDWARD** IN THE CURRENT CHARACTER MENU.




- 3 IN THE CHARACTER CONTROLS, SELECT **FILE** > **LOAD CHARACTER ANIMATION**.



- 4 IN THE OPEN FILE DIALOG, SELECT **RUN\_JUMP** FROM THE GETTINGSTARTED DIRECTORY, THEN CLICK **OPEN**.




- 5 IN THE NEXT DIALOG, ACTIVATE **PLOT TO CONTROL RIG** AND CLICK **OPEN**.



THE ANIMATION FROM THE **RUN\_JUMP** FILE YOU SELECTED IS PLOTTED ONTO EDWARD'S CONTROL RIG.

IF YOU SELECT ONE OF THE CONTROL RIG EFFECTORS, YOU CAN SEE THAT KEYFRAMES APPEAR IN THE TRANSPORT CONTROLS.

- 6 PRESS **CTRL-HOME** TO GO TO THE BEGINNING OF THE TAKE, THEN CLICK **PLAY** TO VIEW THE ANIMATION.




NOW THAT YOU HAVE SOME ANIMATION ON YOUR CHARACTER'S CONTROL RIG, YOU CAN LEARN TO EDIT THAT ANIMATION.

THE END

# Keyframing a character

NOW THAT YOU HAVE SET UP A CHARACTER IN MOTIONBUILDER, YOU CAN CREATE SOME KEYFRAME ANIMATION USING THE CHARACTER'S CONTROL RIG.

- 1 DRAG THE Ed\_CHARACTER FILE INTO THE SCENE AND SELECT **FBX OPEN > NO ANIMATION**.




THE EDWARD CHARACTER LOADS IN THE SCENE.


- 2 IN THE VIEWER WINDOW, PRESS **CTRL-A** UNTIL YOU'RE IN THE **X-RAY DISPLAY MODE**.



- 3 IN THE CHARACTER CONTROLS, SELECT **EDWARD** FROM THE CURRENT CHARACTER MENU.




- 4 SELECT THE **RIGHT WRIST EFFECTOR**.




IN THE CHARACTER REPRESENTATION, THE CELL DISPLAYS A GREEN CIRCLE TO INDICATE THAT IT IS SELECTED AND THE LETTER **T** TO INDICATE THAT THIS EFFECTOR IS PINNED IN TRANSLATION.

IN X-RAY DISPLAY MODE, YOU CAN SEE THAT THE EFFECTOR IS ALSO SELECTED IN THE VIEWER.




- 5 IN THE EFFECTOR PINNING AREA, CLICK THE **T** BUTTON TO DISABLE TRANSLATION PINNING ON THE SELECTED RIGHT WRIST EFFECTOR.



NOW, YOU WILL BE ABLE TO TRANSFORM THE WHOLE ARM WITHOUT THE WRIST REMAINING PINNED IN PLACE.

- 6 SELECT THE **RIGHT SHOULDER CELL**, CLICK IN THE VIEWER WINDOW AND PRESS **R** TO ACTIVATE ROTATION MODE.




ROTATION RINGS APPEAR ON EDWARD'S RIGHT SHOULDER EFFECTOR.

more


7

DRAW THE BLUE ROTATION RING TO ROTATE THE ARM ALONG THE Z-AXIS, BRINGING IT CLOSE TO THE SIDE OF EDWARD'S BODY.




8

RE-ACTIVATE THE TRANSLATION PINNING FOR THE RIGHT WRIST EFFECTOR.



9


SELECT THE **LEFT SHOULDER EFFECTOR**, THEN PRESS AND HOLD **Q** ON THE KEYBOARD AS YOU DRAG THE BLUE ROTATION RING TO ROTATE THE LEFT ARM CLOSER TO THE BODY.



PRESSING **Q** IS THE SAME AS ACTIVATING THE RELEASE OPTION IN THE EFFECTOR PINNING AREA. IT TEMPORARILY UNPINS EFFECTORS FOR THE SELECTED BODY PART.


10

DESELECT THE SHOULDER EFFECTOR, THEN **CTRL-CLICK** TO SELECT BOTH THE LEFT AND RIGHT WRISTS.




11

CLICK IN THE VIEWER WINDOW AND PRESS **T** TO ACTIVATE TRANSLATION MODE, THEN TRANSLATE THE WRISTS ON THE Y- AND Z-AXES TO CREATE A MORE NATURAL POSITION, WITH A SLIGHT BEND IN THE ELBOW.



12


AT FRAME ZERO, WITH THE WRISTS STILL SELECTED, CLICK **FLAT** IN THE KEY CONTROLS TO SET A KEY WITH FLAT TANGENT HANDLES.



NOTE: SINCE YOU ARE NOT KEYFRAMING OVER OTHER ANIMATION, YOU CAN GO AHEAD AND SET KEYFRAMES ON THE **BASEANIMATION** LAYER.


IF YOU ARE EDITING MOTION DATA THOUGH, KEEP THE ORIGINAL ANIMATION ON THE **BASEANIMATION** LAYER AND CREATE ANIMATION ON **ANIMLAYER1** SO YOUR CHANGES DON'T AFFECT THE ORIGINAL.

THE LAYER THAT RECEIVES KEYS IS BRIGHT GREEN IN THE **ANIMATION LAYER** EDITOR.



13

IN THE TRANSPORT CONTROLS, GO TO **FRAME 60**, THEN SET ANOTHER **FLAT** KEYFRAME.




THERE ARE NOW TWO VISUAL KEYFRAMES ON THE TIMELINE. EVEN THOUGH YOU ONLY HAVE THE WRIST EFFECTORS SELECTED, KEYFRAMES ARE SET ON THE WHOLE BODY BECAUSE **FULL BODY** IS SELECTED AS THE KEYING MODE.

THE ENTIRE **CONTROL RIG** LIGHTS UP TO SHOW IT IS KEYED AT THE CURRENT TIME.

more


**14** GO TO **FRAME 30** AND DO THE FOLLOWING:

**A** SELECT THE **CHEST** EFFECTOR AND TRANSLATE EDWARD FORWARD AS IF HE IS LOOKING AT SOMETHING ON THE GROUND.




**B** SELECT THE **HEAD** EFFECTOR AND ROTATE THE HEAD DOWNWARD SO EDWARD IS LOOKING CLOSER TO HIS BODY.

**C** SET A KEYFRAME. (PRESS **K** OR CLICK **KEY** IN THE KEY CONTROLS.)



CHECK OUT THE **BEST PRACTICES** FOR TIPS ON USING THE VIEWER WINDOW TO GET THE BEST VIEW OF YOUR SCENE.

**15** GO TO **FRAME 45**, ROTATE THE HEAD TO THE RIGHT AS IF EDWARD IS CHECKING OVER HIS SHOULDER, THEN SET A **KEYFRAME**.





**16** GO TO **FRAME 90** AND DO THE FOLLOWING:

**A** SELECT THE **LEFT WRIST** EFFECTOR AND TRANSLATE THE ARM FORWARD AND DOWN SO THAT EDWARD APPEARS TO REACH FOR SOMETHING ON THE GROUND.


**B** ADJUST EDWARD'S OTHER EFFECTORS UNTIL YOU ARE SATISFIED WITH HIS POSITION. FOR EXAMPLE, YOU MIGHT WANT TO ROTATE HIS HEAD TO KEEP HIS EYES ON THE GROUND, OR ADJUST HIS KNEES TO MAKE A NORMAL BEND.

**C** SET A **FLAT** KEYFRAME.

NOTICE THAT THE REST OF HIS BODY REACTS TO THE PULLING OF HIS ARM.



**17** PLAY YOUR ANIMATION.



THE ANIMATION YOU HAVE CREATED HAS FIVE KEYFRAMES, AND THE MOTION CONSISTS OF EDWARD BENDING, TURNING HIS HEAD, AND REACHING FOR SOMETHING ON THE GROUND.



NOW THAT YOU HAVE CREATED SOME KEYFRAME ANIMATION ON YOUR CHARACTER, YOU CAN LEARN TO EDIT ANIMATION.

**THE END**


# Editing character animation

NOW THAT YOU HAVE LOADED ANIMATION ON A CHARACTER, OR CREATED YOUR KEYFRAME ANIMATION, YOU CAN EDIT THE ANIMATION ON THE CHARACTER'S CONTROL RIG.


- 1 FROM THE ASSET BROWSER GETTING STARTED FOLDER, DRAG THE ED\_RUNJUMP ASSET INTO THE SCENE AND SELECT **FBX OPEN** > **ALL TAKES** FROM THE MENUS THAT APPEAR.




- 2 CLICK IN THE VIEWER AND PRESS CTRL-R TWICE TO SWITCH TO THE PRODUCER LEFT CAMERA VIEW.




- 3 SELECT THE **HIPS** EFFECTOR AND VIEW ITS KEYFRAMES IN THE TRANSPORT CONTROLS.




- 4 SELECT **30 FPS** IN THE TRANSPORT CONTROLS.



- 5 CLICK **PLAY** AND WATCH THE TAKE TO IDENTIFY WHERE YOU WANT TO EDIT THE ANIMATION.



- 6 IN THE ANIMATION LAYER EDITOR, SELECT **ANIMLAYER1**.




SETTING KEYFRAMES ON **ANIMLAYER1** LETS YOU KEYFRAME ON TOP OF THE ORIGINAL ANIMATION WITHOUT PERMANENTLY CHANGING IT.

THE ORIGINAL ANIMATION REMAINS ON THE **BASEANIMATION** LAYER AND STAYS THE SAME UNLESS YOU CHOOSE TO MERGE THE LAYERS.


[more](#)

**7** GO TO FRAME 20.




THIS IS THE LAST POINT BEFORE ED'S FEET LEAVE THE FLOOR.

**8** WITH THE HIPS EFFECTOR STILL SELECTED, CLICK **ZERO** IN THE KEY CONTROLS TO SET A ZERO KEY.



IN THE VIEWER, YOU WILL SEE EDWARD'S RIG EFFECTORS HIGHLIGHT TO SHOW THEY ARE KEYED AT THE CURRENT TIME. KEYFRAMES WERE SET ON THE WHOLE BODY BECAUSE FULL BODY IS SELECTED AS THE KEYING MODE IN THE CHARACTER CONTROLS.

**9** GO TO FRAME 36.




HERE, ED'S FOOT IS BACK ON THE FLOOR.

**10** SET ANOTHER **ZERO** KEY.




YOU WILL EDIT THE ANIMATION BETWEEN THESE ZERO KEYS. SETTING ZERO KEYS ON ANIMLAYER1 CREATES A SET OF 'BRACKETS' AROUND THE ANIMATION YOU INTEND TO CHANGE. THE ANIMATION OUTSIDE THESE 'BRACKETS' IS UNAFFECTED, WHILE THE ANIMATION BETWEEN THEM IS OFFSET FROM THE BASE ANIMATION LAYER.

**11** GO TO FRAME 28, BETWEEN THE TWO ZERO KEYS.




**12** CLICK IN THE VIEWER AND PRESS **T**.




THIS ACTIVATES TRANSLATION MODE.

**13** PRESS AND HOLD **Q** AS YOU TRANSLATE THE HIPS EFFECTOR TO MOVE EDWARD'S BODY HIGHER ON THE Y-AXIS.




PRESSING **Q** TEMPORARILY RELEASES THE PINNED HANDS AND FEET.

**14** CONTINUING TO HOLD **Q**, SELECT EDWARD'S **RIGHT KNEE** EFFECTOR AND TRANSLATE THE RIGHT LEG HIGHER TO CREATE A BIGGER KICK.




**15** CLICK **KEY** TO SET A REGULAR KEYFRAME.



THIS KEYFRAME OFFSETS THE ANIMATION FROM ITS ORIGINAL PATH.

**16** GO TO THE FIRST FRAME AND PRESS **PLAY** TO VIEW YOUR ANIMATION. NOTICE HOW EDWARD NOW JUMPS AND KICKS HIGHER IN THE AIR.



NOW THAT YOU HAVE EDITED SOME ANIMATION, YOU CAN PREPARE TO EXPORT THIS CHARACTER BACK TO MAYA OR 3DS MAX.

**THE END**



# Preparing to export from MotionBuilder

NOW THAT YOU HAVE LOADED CHARACTER ANIMATION, KEYFRAMED A CHARACTER, OR EDITED CHARACTER ANIMATION, YOU CAN GET YOUR CHARACTER READY TO BE IMPORTED BACK INTO MAYA OR 3ds MAX.


RIGHT NOW, THE ANIMATION DATA FOR YOUR CHARACTER IS STORED IN ITS CONTROL RIG OBJECTS. WHEN EXPORTING, YOU NEED THE ANIMATION DATA TO BE STORED IN THE BONE OBJECTS THAT MAKE UP YOUR CHARACTER'S SKELETON.

TO GET THE ANIMATION FROM THE EDITABLE CONTROL RIG ONTO THE SKELETON, YOU WILL PLOT, OR "BAKE" THE ANIMATION.


- 1 DRAG THE ED\_ANIMATED FILE INTO THE SCENE AND SELECT **FBX OPEN > ALL TAKES** FROM THE MENUS.




- 2 MAKE SURE **EDWARD** IS SELECTED.




- 3 SELECT A CONTROL RIG EFFECTOR AND LOOK IN THE TRANSPORT CONTROLS TO VIEW ITS KEYFRAMES.



- 4 ZOOM IN TO SELECT ONE OF EDWARD'S BONES AND LOOK AT THE TRANSPORT CONTROLS AGAIN.



REMEMBER, YOU CAN USE THE **SHOW** MENU IN THE **CHARACTER CONTROLS** TO SHOW AND HIDE ANYTHING THAT DISPLAYS ON YOUR CHARACTER, SUCH AS THE CONTROL RIG EFFECTORS AND THE SKELETON.




more


IN THE NEXT STEPS, YOU WILL PLOT THE ANIMATION FROM THE CONTROL RIG TO THE SKELETON.

ONCE THE ANIMATION IS TRANSFERRED, IT CANNOT BE EDITED. IF YOU NEED TO EDIT THE ANIMATION LATER, PLOT IT BACK TO THE CONTROL RIG.


**5** IN THE CHARACTER CONTROLS EDIT MENU, SELECT **PLOT CHARACTER**.



**6** IN THE CHARACTER DIALOG, CLICK **SKELETON**.




**7** KEEP THE DEFAULT OPTIONS AND CLICK **PLOT** IN THE DIALOG THAT APPEARS.




THE ANIMATION IS TRANSFERRED TO THE SKELETON OBJECTS.

THE CONTROL RIG IS STILL AVAILABLE IN YOUR SCENE BUT IT IS NO LONGER THE ACTIVE MOTION SOURCE FOR YOUR CHARACTER. IT IS HIDDEN IN THE VIEWER WINDOW, BUT YOU CAN STILL SEE IT LISTED IN THE SCENE BROWSER, AND YOU CAN STILL SELECT IT AS A MOTION SOURCE.

**8** TO VERIFY THAT THE ANIMATION HAS BEEN TRANSFERRED TO EDWARD'S SKELETON, SELECT ONE OF HIS BONES IN THE VIEWER WINDOW.



**9** CLICK **PLAY** TO VIEW THE ANIMATION.




NOW THAT YOU HAVE PLOTTED THE ANIMATION TO EDWARD'S SKELETON, YOU CAN IMPORT HIM BACK INTO MAYA OR 3DS MAX.

**THE END**


# Importing from MotionBuilder into 3ds Max

NOW THAT YOU HAVE PREPARED YOUR SCENE, YOU CAN IMPORT IT FROM MOTIONBUILDER BACK INTO 3DS MAX.



1 START 3DS MAX AND FROM THE APPLICATION MENU SELECT **IMPORT > IMPORT**.



2 IN THE IMPORT WINDOW, SELECT **FBX** AS THE FILE TYPE, NAVIGATE TO SELECT THE **ED\_FINISHED\_MAX** FILE, AND CLICK **OPEN**.



3 CLICK **OK** IN THE FBX IMPORTER THAT APPEARS.



**YOU HAVE FINISHED!**


DON'T FORGET TO CHECK OUT THE BEST PRACTICES TO HELP YOU ALONG AS YOU START TO WORK WITH YOUR OWN SCENES.

**THE END**


# Importing from MotionBuilder into Maya

AFTER YOU HAVE PREPARED YOUR SCENE, YOU CAN IMPORT IT FROM MOTIONBUILDER BACK INTO MAYA.


- 1 START MAYA AND SELECT **FILE > IMPORT** FROM THE MENU BAR.



- 2 IN THE IMPORT WINDOW, SELECT THE FBX FILE TYPE, SELECT THE ED\_FINISHED.FBX FILE AND CLICK **IMPORT**.



- 3 IF YOU CAN'T SEE EDWARD'S TEXTURES, DISABLE **WIREFRAME** AND ACTIVATE **TEXTURED**.



WHEN YOU LOAD A MOTIONBUILDER FILE IN MAYA, YOU MAY NOTICE A DIFFERENCE IN THE SCALING OF YOUR CHARACTER.

FOR MORE INFORMATION ON SCALING CHARACTERS BETWEEN MAYA AND MOTIONBUILDER, SEE THE [BEST PRACTICES](#).

**YOU HAVE FINISHED!**

DON'T FORGET TO CHECK OUT THE [BEST PRACTICES](#) TO HELP YOU ALONG AS YOU START TO WORK WITH YOUR OWN FILES.

**THE END**

# Best practices




THESE TIPS AND TRICKS ARE DESIGNED TO HELP YOU WORK BETTER AND FASTER WITH **MOTIONBUILDER**, **MAYA**, AND **3DS MAX** IN YOUR 3D ANIMATION PIPELINE.


## MANIPULATING SPINES & FINGERS

WHEN ROTATING OBJECTS IN A SINGLE CONTINUOUS HIERARCHY, SUCH AS OBJECTS IN THE FINGERS OR SPINE, SWITCH TO LOCAL REFERENCE MODE IN THE VIEWER WINDOW BEFORE YOU SELECT THE FK EFFECTORS.


THIS MODE GIVES YOU ADDITIVE ROTATION BEHAVIOR, SO THAT EACH BONE ROTATES RELATIVE TO ITS PARENT. THE FINGER OR SPINE BENDS NATURALLY AS YOU ROTATE THE EFFECTORS.



ROTATION WITH LOCAL REFERENCE MODE SELECTED.



ROTATION WITH GLOBAL REFERENCE MODE SELECTED.



## THE VIEWER WINDOW

TRY OUT THE VARIOUS SHORTCUTS THAT LET YOU QUICKLY SPLIT THE VIEW AND SEE FROM DIFFERENT CAMERA VIEWS IN THE VIEWER WINDOW. LOOK IN THE VIEW AND DISPLAY MENUS FOR MORE OPTIONS.

PRESSING **A** FRAMES ALL OBJECTS.

**CTRL-A** CYCLES BETWEEN X-RAY, MODELS ONLY, AND NORMAL VIEWS.


**CTRL-1-4** SPLITS THE VIEWER WINDOW INTO DIFFERENT PANES.

## AUTOMATIC CHARACTERIZATION

IF THE NAMES OF YOUR CHARACTER'S BONE OBJECTS MATCH THE NAMES IN THE **MOTIONBUILDER** MAPPING LIST, YOU CAN COMPLETE THE CHARACTER MAPPING PROCESS AND CHARACTERIZE YOUR CHARACTER AUTOMATICALLY.


YOU CAN ALSO USE THE EXTRACT NAMING TEMPLATE BUTTON TO MAKE YOUR OWN TEMPLATE OF BONE NAMING CONVENTIONS.

DRAW THE **CHARACTER** ASSET DIRECTLY ONTO YOUR CHARACTER.



IF YOU HAVE A 3DS MAX BIPED, USE THE SPECIAL TEMPLATE!

SELECT THE **CHARACTERIZE** OPTION THAT APPEARS.



THE MAPPING OF YOUR CHARACTER'S STRUCTURE IS COMPLETED AUTOMATICALLY, AND THE CHARACTER IS CHARACTERIZED.


more

## SCALE OBJECTS IMPORTED FROM MAYA


WHEN YOU IMPORT MODELS FROM MAYA, THEY MAY APPEAR SMALLER THAN YOU EXPECTED. IF YOU PREFER TO WORK WITH A LARGER MODEL, YOU CAN USE A NULL TO TEMPORARILY SCALE THE WHOLE MODEL.

WHEN YOU'RE READY TO BRING THE MODEL BACK INTO MAYA, JUST DELETE THE NULL, THEN EXPORT THE SCENE. THE CHARACTER WILL LOAD AT ITS ORIGINAL SIZE IN MAYA.


DRAW A NULL OBJECT FROM THE ASSET BROWSER ELEMENTS FOLDER INTO THE SCENE WITH YOUR CHARACTER.



PARENT YOUR CHARACTER'S ENTIRE HIERARCHY TO THE NULL OBJECT.



SCALE THE NULL UNTIL YOUR CHARACTER IS AN APPROPRIATE SIZE.




## BUILD CHARACTER EXTENSIONS


USE CHARACTER EXTENSIONS TO ADD PROP OBJECTS AND ADDITIONAL LIMBS TO YOUR CHARACTER'S CONTROL RIG.

ANY OBJECT OR SETTING ADDED TO YOUR CHARACTER AS A CHARACTER EXTENSION IS KEYED AUTOMATICALLY ANY TIME YOU SET A KEY ON YOUR CHARACTER.

RIGHT-CLICK YOUR CHARACTER IN THE SCENE BROWSER AND SELECT **CREATE CHARACTER EXTENSION**.



DROP A PROP OBJECT ONTO THE EXTENSION, AND CLICK **ADD TO CHARACTER EXTENSION**.




## TRIM INSIGNIFICANT WEIGHTS (IN MAYA)

BEFORE EXPORTING SCENES FROM MAYA TO MOTIONBUILDER, YOU CAN TRIM INSIGNIFICANT WEIGHTS ON DEFORMED MODELS TO SPEED UP THE FLOW OF DATA.

## CUSTOMIZE CONTROL RIGS

SELECT A CONTROL RIG IN THE SCENE BROWSER, THEN USE THE PROPERTIES WINDOW TO CUSTOMIZE THE LOOK OF THE IK AND FK EFFECTORS.

CLICK THE **SOLID LOOK** OPTION TO WORK WITH FK EFFECTORS LIKE SOLID BONE-TYPE OBJECTS.



SELECT THE MAYA **SKIN > EDIT SMOOTH SKIN > PRUNE SMALL WEIGHTS** OPTION.



## USE FAMILIAR KEYBOARD SHORTCUTS

CHOOSE **SETTINGS > KEYBOARD CONFIGURATION** FROM THE MOTIONBUILDER MENU BAR TO SELECT THE KEYBOARD SHORTCUTS THAT YOU WANT TO USE.

YOU CAN SELECT FROM SETS OF SHORTCUTS THAT GO WITH 3DS MAX, LIGHTWAVE, MAYA, AND SOFTIMAGE.

## EXPERIMENT WITH SAMPLE MOTION FILES

IF YOU WANT TO EXPERIMENT WITH DIFFERENT TYPES OF MOTION FILES IN MOTIONBUILDER, YOU'LL FIND SOME SAMPLE FILES ON THE CLIP ART DVD IN YOUR MOTIONBUILDER PACKAGE.

THE END

© 2010 Autodesk, Inc. All rights reserved.

Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 3DEC (design/logo), 3December, 3December.com, 3ds Max, Algor, Alias, Alias (swirl design/logo), AliasStudio, AliasWavefront (design/logo), ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Envision, Autodesk Intent, Autodesk Inventor, Autodesk Map, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSnap, AutoSketch, AutoTrack, Backburner, Backdraft, Built with ObjectARX (logo), Burn, Buzzsaw, CAiCE, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DXF, Ecotect, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, HumanIK, IDEA Server, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Inventor, Inventor LT, Kaydara, Kaydara (design/logo), Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, Moldflow, Moonbox, MotionBuilder, Movimento, MPA, MPA (design/logo), Moldflow Plastics Advisers, MPI, Moldflow Plastics Insight, MPX, MPX (design/logo), Moldflow Plastics Xpert, Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Open Reality, Opticore, Opticore Opus, Pipeplus, PolarSnap, PortfolioWall, Powered with Autodesk Technology, Productstream, ProjectPoint, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Showcase, ShowMotion, SketchBook, Smoke, Softimage, Softimage|XSI (design/logo), Sparks, SteeringWheels, Stitcher, Stone, StudioTools, ToolClip, Topobase, Toxik, TrustedDWG, ViewCube, Visual, Visual LISP, Volo, Vtour, Wire, Wiretap, WiretapCentral, XSI, and XSI (design/logo).

Python and the Python logo are trademarks or registered trademarks of the Python Software Foundation.

ACE™, TAO™, CIAO™, and CoSMIC™ are copyrighted by Douglas C. Schmidt and his research group at Washington University, University of California, Irvine, and Vanderbilt University, Copyright (c) 1993-2009, all rights reserved.

All other brand names, product names or trademarks belong to their respective holders.

#### Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Published by: Autodesk, Inc.

111 McInnis Parkway

San Rafael, CA 94903, USA

Document Title: Autodesk MotionBuilder 2011 Getting Started Guide

Date: 10 March 2010

Document Version: 2010.03.10.01

Build Version: 2010.03.10.01